

Freeform Search

Database:

US Pre-Grant Publications Full Text Database
 US Patents Full Text Database
 US Patents OCR Backfile
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletin Database

Search Type: Prior Art Interference

Term:

L92 and (zooepidemicus or bronchiseptica)

Recall Text 

Display: Documents in Display Format: Starting with Number

Generate: Hit List Hit Count Side by Side Image

Search History

DATE: Wednesday, September 23, 2009 [Purge Queries](#) [Printable Copy](#) [Create Case](#)

Set

Name **Query**

Side by
Side

**Hit
Count**

**Set
Name
Result
Set**

**Set
Name
Grid
Set**

Prior Art Searches

*DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI; THES=ASSIGNEE; PLUR=YES;
OP=AND*

| | | | | |
|------------|---|--------|------------|-----|
| <u>L95</u> | L92 and (zooepidemicus or bronchiseptica) | 4 | <u>L95</u> | L95 |
| <u>L94</u> | L92 and (inactivat\$ or attenuat\$) | 6 | <u>L94</u> | L94 |
| <u>L93</u> | L92 and inactivated or attenuated | 158290 | <u>L93</u> | L93 |
| <u>L92</u> | L91 and (dog\$.clm. OR dogs.clm. OR canine.clm. OR pup.clm. OR puppy.clm. OR doggy.clm. or dog.clm. or pup\$.clm.) | 12 | <u>L92</u> | L92 |
| <u>L91</u> | L90 and (dog\$ OR dogs OR canine OR pup OR puppy OR doggy or dog or pup\$) | 95 | <u>L91</u> | L91 |
| <u>L90</u> | L88 not 189 | 95 | <u>L90</u> | L90 |
| <u>L89</u> | L88@ay>2003 | 82 | <u>L89</u> | L89 |

| | | | | |
|------------|--|-----|------------|------------|
| <u>L88</u> | L87 and (immun\$ near response) | 177 | <u>L88</u> | <u>L88</u> |
| <u>L87</u> | L86 and response | 196 | <u>L87</u> | <u>L87</u> |
| <u>L86</u> | L85 and ((Chlamydophila.clm. or Chlamydiae.clm. or Chlamydia.clm.)) | 216 | <u>L86</u> | <u>L86</u> |
| <u>L85</u> | L84 and Chlamydia | 216 | <u>L85</u> | <u>L85</u> |
| <u>L84</u> | L83 and mycoplasma | 219 | <u>L84</u> | <u>L84</u> |
| <u>L83</u> | L82 and (administ\$ or intra or inocul\$ or inject\$ or immuniz\$) | 413 | <u>L83</u> | <u>L83</u> |
| <u>L82</u> | L81 and (immun\$ or immunogen\$ or immuno\$ or antigen or antigen\$) ((Chlamydophila.clm. or Chlamydiae.clm. or Chlamydia.clm.)) and (dog\$ OR dogs OR canine OR pup OR puppy OR doggy or dog or pup\$) | 428 | <u>L82</u> | <u>L82</u> |
| <u>L81</u> | | 464 | <u>L81</u> | <u>L81</u> |
| <u>L80</u> | ((Chlamydophila or Chlamydiae or Chlamydia) near (dog\$ OR dogs OR canine OR pup OR puppy OR doggy or dog or pup\$)) | 4 | <u>L80</u> | <u>L80</u> |
| <u>L79</u> | L77 not l78 | 3 | <u>L79</u> | <u>L79</u> |
| <u>L78</u> | L77@ay>2003 | 17 | <u>L78</u> | <u>L78</u> |
| <u>L77</u> | L67 and (Chlamydophila.clm. or Chlamydiae.clm.) | 20 | <u>L77</u> | <u>L77</u> |
| <u>L76</u> | L74 not l75 | 6 | <u>L76</u> | <u>L76</u> |
| <u>L75</u> | L74@ay>2003 | 21 | <u>L75</u> | <u>L75</u> |
| <u>L74</u> | L67 and bronchiseptica | 27 | <u>L74</u> | <u>L74</u> |
| <u>L73</u> | L67 and ((Chlamydophila or Chlamydiae) near (immun\$ or immunogen\$ or immuno\$ or antigen or antigen\$)) | 3 | <u>L73</u> | <u>L73</u> |
| <u>L72</u> | l67 and (Chlamydophila or Chlamydiae) near (dog\$ OR dogs OR canine OR pup OR puppy OR doggy or dog or pup\$) | 3 | <u>L72</u> | <u>L72</u> |
| <u>L71</u> | (Chlamydophila or Chlamydiae) near (dog\$ OR dogs OR canine OR pup OR puppy OR doggy or dog or pup\$) | 4 | <u>L71</u> | <u>L71</u> |
| <u>L70</u> | L69 and ((parainfluenza adj virus) or (canine adj adenovirus adj type 2) or (herpesvirus) or (CPIV) or (canine adj parainfluenza adj virus) or (canine adj respiratory adj coronavirus) or (CRCV) or (CCV) or (CCV1) or (respiratory adj coronavirus) or (CAV-2) or (adenovirus adj type adj 2) or (canine adj herpesvirus) or (CHV) or (CHV-1)) | 3 | <u>L70</u> | <u>L70</u> |
| <u>L69</u> | L68 and cynos | 3 | <u>L69</u> | <u>L69</u> |
| <u>L68</u> | L67 and (composition) | 217 | <u>L68</u> | <u>L68</u> |
| <u>L67</u> | L66 and mycoplasma | 224 | <u>L67</u> | <u>L67</u> |
| <u>L66</u> | L65 and (combination or several or more or least or additional) | 351 | <u>L66</u> | <u>L66</u> |
| <u>L65</u> | L64 and response | 351 | <u>L65</u> | <u>L65</u> |
| <u>L64</u> | L63 and (administ\$ or intra or inocul\$ or inject\$ or immuniz\$) | 390 | <u>L64</u> | <u>L64</u> |
| <u>L63</u> | L62 and (immun\$ or immunogen\$ or immuno\$ or antigen or antigen\$) | 409 | <u>L63</u> | <u>L63</u> |

| | | | | |
|------------|--|-------|------------|------------|
| <u>L62</u> | (Chlamydophila or Chlamydiae) and (dog\$ OR dogs OR canine OR pup OR puppy OR doggy or dog or pup\$) | 424 | <u>L62</u> | <u>L62</u> |
| <u>L61</u> | (Chlamydophila or Chlamydiae) and ((administ\$ or intra or inocul\$ or inject\$ or immuniz\$) near (dog\$ OR dogs OR canine OR pup OR puppy OR doggy or dog or pup\$)) | 6 | <u>L61</u> | <u>L61</u> |
| <u>L60</u> | L58 not 159 | 56 | <u>L60</u> | <u>L60</u> |
| <u>L59</u> | L58@ay>2003 | 74 | <u>L59</u> | <u>L59</u> |
| <u>L58</u> | L57 and ((administ\$ or intra or inocul\$ or inject\$ or immuniz\$) near (dog\$ OR dogs OR canine OR pup OR puppy OR doggy or dog or pup\$)) | 130 | <u>L58</u> | <u>L58</u> |
| <u>L57</u> | bronchiseptica or cynos or zooepidemicus or chlamydophila or chlamydia | 15004 | <u>L57</u> | <u>L57</u> |
| <u>L56</u> | L54 and (mycoplasma or zooepidemicus or chlamydophila) | 5 | <u>L56</u> | <u>L56</u> |
| <u>L55</u> | L54 and composition | 3 | <u>L55</u> | <u>L55</u> |
| <u>L54</u> | L53 and (combination or several or more or least or additional) | 14 | <u>L54</u> | <u>L54</u> |
| <u>L53</u> | L52 and (inactiv\$ or attenuat\$) | 14 | <u>L53</u> | <u>L53</u> |
| <u>L52</u> | L51 and (immun\$ or immunogen\$ or immuno\$ or antigen or antigen\$) | 19 | <u>L52</u> | <u>L52</u> |
| <u>L51</u> | L49 not 150 | 22 | <u>L51</u> | <u>L51</u> |
| <u>L50</u> | L49@ay>2003 | 38 | <u>L50</u> | <u>L50</u> |
| <u>L49</u> | L42 and ((administ\$ or intra or inocul\$ or inject\$ or immuniz\$) near (dog\$ OR dogs OR canine OR pup OR puppy OR doggy or dog or pup\$)) | 60 | <u>L49</u> | <u>L49</u> |
| <u>L48</u> | L46 not 147 | 11 | <u>L48</u> | <u>L48</u> |
| <u>L47</u> | L46@ay>2003 | 33 | <u>L47</u> | <u>L47</u> |
| <u>L46</u> | L45 and ((administ\$ or intra or inocul\$ or inject\$ or immuniz\$) near (dog\$ OR dogs OR canine OR pup OR puppy OR doggy or dog or pup\$)) | 44 | <u>L46</u> | <u>L46</u> |
| <u>L45</u> | L44 and (administ\$ or intra or inocul\$ or inject\$ or immuniz\$) | 283 | <u>L45</u> | <u>L45</u> |
| <u>L44</u> | L43 and (immun\$ or immunogen\$ or immuno\$ or antigen or antigen\$) | 304 | <u>L44</u> | <u>L44</u> |
| <u>L43</u> | L42 and ((parainfluenza adj virus) or (canine adj adenovirus adj type 2) or (herpesvirus) or (CPIV) or (canine adj parainfluenza adj virus) or (canine adj respiratory adj coronavirus) or (CRCV) or (CCV) or (CCV1) or (respiratory adj coronavirus) or (CAV-2) or (adenovirus adj type adj 2) or (canine adj herpesvirus) or (CHV) or (CHV-1)) | 306 | <u>L43</u> | <u>L43</u> |
| <u>L42</u> | L41 and (dog\$ OR dogs OR canine OR Canis OR pup OR puppy OR doggy or dog or pup\$ or kennel) | 646 | <u>L42</u> | <u>L42</u> |
| <u>L41</u> | (bordetella adj bronchiseptica) or (bronchiseptica) or (bordetella near bronchiseptica) or (bordetella and bronchiseptica) | 1979 | <u>L41</u> | <u>L41</u> |

| | | | | |
|------------|--|-------|------------|------------|
| <u>L40</u> | L39 and (bronchiseptica) | 6 | <u>L40</u> | <u>L40</u> |
| <u>L39</u> | L38 and (dog\$ OR dogs OR canine OR Canis OR pup OR puppy OR doggy or dog or pup\$ or kennel) | 21 | <u>L39</u> | <u>L39</u> |
| <u>L38</u> | ((mycoplasma adj cynos) or (mycoplasma near cynos) or (mycoplasma and cynos)) | 24 | <u>L38</u> | <u>L38</u> |
| <u>L37</u> | ((mycoplasma adj cynos) or (mycoplasma near cynos)) and (dog\$ OR dogs OR canine OR Canis OR pup OR puppy OR doggy or dog or pup\$ or kennel) | 7 | <u>L37</u> | <u>L37</u> |
| <u>L36</u> | L35 and mycoplasma | 12 | <u>L36</u> | <u>L36</u> |
| <u>L35</u> | L33 not l34 | 79 | <u>L35</u> | <u>L35</u> |
| <u>L34</u> | L33@ay>2003 | 66 | <u>L34</u> | <u>L34</u> |
| <u>L33</u> | L32 and composition.clm. | 145 | <u>L33</u> | <u>L33</u> |
| <u>L32</u> | L31 and composition | 242 | <u>L32</u> | <u>L32</u> |
| <u>L31</u> | L29 and (combination or several or more or least or additional) | 266 | <u>L31</u> | <u>L31</u> |
| <u>L30</u> | L29 and (combination or several or more or least or addtional) | 266 | <u>L30</u> | <u>L30</u> |
| <u>L29</u> | l25 and (combination or composition or method) | 267 | <u>L29</u> | <u>L29</u> |
| <u>L28</u> | L26 not l27 | 21 | <u>L28</u> | <u>L28</u> |
| <u>L27</u> | L26@ay>2003 | 32 | <u>L27</u> | <u>L27</u> |
| <u>L26</u> | L25 and mycoplasma | 53 | <u>L26</u> | <u>L26</u> |
| <u>L25</u> | L24 and (immun\$ near response) | 267 | <u>L25</u> | <u>L25</u> |
| <u>L24</u> | L23 and ((administ\$ or intra or inocul\$ or inject\$ or immuniz\$) near (dog\$ OR dogs OR canine OR pup OR puppy OR doggy or dog or pup\$)) | 298 | <u>L24</u> | <u>L24</u> |
| <u>L23</u> | L22 and (dog\$ OR dogs OR canine OR pup OR puppy OR doggy or dog or pup\$) | 7631 | <u>L23</u> | <u>L23</u> |
| <u>L22</u> | L21 and response | 7749 | <u>L22</u> | <u>L22</u> |
| <u>L21</u> | L20 and (administ\$ or intra or inocul\$ or inject\$ or immuniz\$) | 8332 | <u>L21</u> | <u>L21</u> |
| <u>L20</u> | L19 and (immun\$ or immunogen\$ or immuno\$ or antigen or antigen\$) | 8501 | <u>L20</u> | <u>L20</u> |
| <u>L19</u> | L14 and (dog\$ OR dogs OR canine OR Canis OR pup OR puppy OR doggy or dog or pup\$ or kennel) | 8840 | <u>L19</u> | <u>L19</u> |
| <u>L18</u> | L16 not l17 | 4 | <u>L18</u> | <u>L18</u> |
| <u>L17</u> | L16@ay>2003 | 23 | <u>L17</u> | <u>L17</u> |
| <u>L16</u> | L15 and (dog\$ OR dogs OR canine OR Canis OR pup OR puppy OR doggy or dog or pup\$) | 27 | <u>L16</u> | <u>L16</u> |
| <u>L15</u> | L14 and ((mycoplasma adj cynos) or cynos) | 35 | <u>L15</u> | <u>L15</u> |
| <u>L14</u> | ((parainfluenza adj virus) or (canine adj adenovirus adj type 2) or (herpesvirus) or (CPIV) or (canine adj parainfluenza adj virus) or (canine adj respiratory adj coronavirus) or (CRCV) or (CCV) or (CCV1) or (respiratory adj coronavirus) or (CAV-2) | 20629 | <u>L14</u> | <u>L14</u> |

or (adenovirus adj type adj 2) or (canine adj herpesvirus) or
(CHV) or (CHV-1))

| | | | | |
|------------|--|-----|------------|------------|
| <u>L13</u> | L12 and mycoplasma | 54 | <u>L13</u> | <u>L13</u> |
| <u>L12</u> | L10 not l11 | 70 | <u>L12</u> | <u>L12</u> |
| <u>L11</u> | L10@ay>2003 | 62 | <u>L11</u> | <u>L11</u> |
| <u>L10</u> | L8 and ((spike adj protein) or (hemagglutinin-esterase) or (hemagglutinin adj esterase)) | 132 | <u>L10</u> | <u>L10</u> |
| <u>L9</u> | L8 and ((administ\$ or intra or inocul\$ or inject\$ or immuniz\$) near ((spike adj protein) or (hemagglutinin-esterase) or (HE) or (hemagglutinin adj esterase))) | 1 | <u>L9</u> | <u>L9</u> |
| <u>L8</u> | L5 and (administ\$ or intra or inocul\$ or inject\$ or immuniz\$) | 158 | <u>L8</u> | <u>L8</u> |
| <u>L7</u> | L5 and (administ\$ or intra or inocul\$ or inject\$ or immuniz\$) | 158 | <u>L7</u> | <u>L7</u> |
| <u>L6</u> | L5 and (administ\$ or intra or inocul\$ or inject\$) | 158 | <u>L6</u> | <u>L6</u> |
| <u>L5</u> | L4 and (response) | 158 | <u>L5</u> | <u>L5</u> |
| <u>L4</u> | L3 and (immun\$ or immunogen\$ or immuno\$ or antigen or antigen\$) | 162 | <u>L4</u> | <u>L4</u> |
| <u>L3</u> | I2 and (dog\$ OR dogs OR canine OR Canis OR pup OR puppy OR doggy or dog or pup\$) | 164 | <u>L3</u> | <u>L3</u> |
| <u>L2</u> | L1 and ((spike adj protein) or (hemagglutinin-esterase) or (HE) or (hemagglutinin adj esterase)) | 181 | <u>L2</u> | <u>L2</u> |
| <u>L1</u> | respiratory adj coronavirus | 341 | <u>L1</u> | <u>L1</u> |

END OF SEARCH HISTORY